

# Student Handout

## ULC-S536 Unit 3: Risk Reduction & Readiness

### LEARNING OBJECTIVES

- Understand responsibilities under the current codes and standards
- Know what a 'complete' inspection report should include
- Prepare for annual inspections and AHJ visits
- Apply cost-effective strategies for maintaining system integrity
- Select the right service provider and ask the right questions

### KEY CONTENT

#### Maintain Operational Readiness

Building owners must ensure fire alarm systems are always fully functional. If a system is impaired, they are responsible for restoring service immediately and implementing alternative safety measures (e.g., fire watch).

#### Inspection, Testing & Maintenance

Owners must follow the National Fire Code (NFC) for regular ITM activities to ensure reliability, keeping systems in good order and repairing deficiencies promptly.

#### Documentation & Records

All inspection, testing, and maintenance records must be maintained and made available to the AHJ upon request.

#### Compliance & Oversight

Owners (or authorized agents) are legally responsible for meeting all fire alarm system requirements in the Code, including any AHJ-specific conditions.

#### Annual ITM Reports

Sections 7 (yearly) and 8 (monthly) of CAN/ULC-S536:2019 prescribe mandatory report forms. These forms must be used as provided, ensuring consistency and comparability. Branding may be added but required fields and structure cannot be altered.

#### Preparation for Annual ITM

Owners should proactively prepare by ensuring access, coordinating with contractors, and gathering past documentation.

**Notes:**

---

---

---

---

---

---

---

---

---

---